

# Hints for the Partner Access Portal

- 1. Managing and running applications
- 2. Download-PopUp when starting an application in Chrome
- 3. Copy files in TouchPoint from/to local machine
- 4. Stop prompting for your certificate when running an application in Internet Explorer
- 5. <u>Log off</u>

#### 1. Managing and running applications

After logging into the Partner Access Portal, the first screen will show all available applications. They can be displayed and managed in different ways.

a. By using the Search-Field you will find applications shown in the current screen (e.g. by entering "Touchpoint")

• O Hope // emulates	rechaused Concerns Advised			P-Ad	Patrar Access	*	9.0	- 🔄 🖷 = Paga = Safet	• Tooli • 🛛 • 🕅
	<b>)</b>			E	2 88 Lators ares	<b></b>		(Lastra)	or, TEST - SELVING •
Categories									eth-left Agga
All Apps			-	-		1.00	-		
Ophans assault Charge My dP Cenerc Apps	Deckhoo Juli? Convent Appe	CTMS PSU-Training CTMS	CTHG P Training CTHG	Contrast Edd (CEO Spream Portal Juli? Contrast, Appn	GREE Contains Steps 2 Online Juli? Generic Apps	DW Eastware Objects 4 Lawrent Part MCA COURT Agen	Contorn E20 P Internet Deployer 20 BMEA E20	Contains Autocenter , Lieff Terment Appr	Data Cardian Publisher - administration JudP Gamme Appr
Con Cantona Con Cantonate Vices 20 Converse Appa	Contention Contention	Options SAP-50 87 545t COEC Ourst-see SAP-50 81 41	SAT-RO-ER Sentyme For Monauth MT SAT-RO-ER S	SAF-10-01 Familyon for Weisself NS Cartac-III 41	Options SM-80-81 P Excitence View Meesure SM-80-81-41	SAF KG KIP Cystol Reports - 2003 Cystol Reports - 2003 Cold - 80 - 80 - 80 - 80 -	Cyton S47-00-81 P Cytological S47-00-00 41	Contenents of DATABLE 41	SAN BO-BUP Danaf estemation and SAN-BU-BUA1
Cason P. RO-BLP Design der F RO-BLA3	Cancer SAF-RO-REFERENCE SAF-RO-REFE	Contact Self-Add H & Fall Self-Add H & L	SAF-KO-EF SAF-KO-EF SAF-KO-EAL	Games SAR-SC-B P COSC- Desice and Aller SAR BD-M A1	Conterns SAF-BD-B1 P Rymeritant SAF-BD-B1 43	Galaxy SAF-ED-EP Consystemeticanus SAF-ED-EP41	SAT-KS-KE P Report SAT-KS-KE P Report SAT-RS-KE A	Content Content of Content of Content Content of Content of Content Content of Content of Content Content of Content of Content of Content of Content Content of Content of Content of Content of Content of Content of Content Content of Content of	SAA KO EP SAA O SAA KO EP SAA O SAA KO EL
Cotons P-BD-EIF WilderManag and P-RO-EIR3	SAF-40-81F DecessionageTool SAF-80-814	Cotons SAF-40-61 P Wettmitigenoilen GAR-80-61 A1	SIA40-ERWayes	SAP-RO-IX P Bioreged SAP-RO-IX F	Coptions Dates of Julia Constitution	Contents Off Calif Contents Appo	Concern Storevel URL Radiactor (5-01 Garance Ages	touch point. Cyture Touchaint Jud? Garanti Appe	Carbons Taxot pasiet here tail Juli? Caronesi Appe
Options ntgaint Re-director DF Genesic Apps									
				COST C TOPAL	in la hona cu				6, 2005
_									= 0
@ Mps//muttic	Alche.ed/Ciris/Text/Mids/			D-80	@ Partner Access	*	9.0	- 🔄 📾 + Page+ Salat	• Tools • 🛛 • 🕅
martWel	<b>.</b>			TANORITIS DA				faulter	ox, thist - become *
Course Strength									1

b. Via "Options" you can add/remove your main applications into/from FAVORITES

SmartWel	)			C to	LTOPS APPS	+		fourier	A, TEST - SELVAC •
a tategories								Q, 14	ah Ali Agas
All Apps Cason Person Cason Dily July Course Appr	Cuestion Julif Connect Appe	Crive P 60-11 - 12 Crive	CING Therese	Conserve Edd ChD System Partal Julie Conserve Appli	GREN Options Oppo 5 Online Julit Generic Appe	EW Barnes Objects 4 Law of Fact Facts 4 Low of Fact Facts	Conterna Digitorer 202 PMA	Conternation Approx	Constant Fablanter - administration Edd? Constant App
Contractor Reporter Contenter Services Judit Contents: Apps	Concerns Roche Will CONE Appa	Conterna SAN-RO-KEP Salah CORC-Charat Long TAR-RO-KE 41	SAF-BO-ELF Alington for Monauti MT SAF-BO-ELFA	SAFAD & FAND SafAD & FAND Mr Michael & S SafAD & F	Colores S4P-80-81 P Justices Colores (S4P - 80) S4P - 80 - 81 - 81 - 81 - 81 - 81 - 81 - 81	SAF BO-BIA SAF BO-BIA Cysta/Repure 2003 SAF-BO-BIA3	Options S4P-60-61 P OptionStagesmöht.set S4P-60-61 41	Contener SAP 80-82 Centements 6 SAP 80-82 43	SIA 10-82 Data least and a SIA 10-82 Data least and a SIA 10-82
SAF-HO-EF-1 Safe Safe Safe	Canava SAF-80-82 Fisted Lath-10-82-12	Cotons SAF 40 KI F Edit SAF 40 KI F Edit	SAF-KO-KEA	Casore SAT-NO-81 FC00C Descentations SAT-80-80 F1	Cytons SAF-SC-ST Recention SAF-SC-ST-41	SAN ED ET L	Concern Saf AO & P Report Saf AO & Worked Saf AO W	Cytons Service 41 Report on ensembled Service 41	SAN KO BIP SANS SAN KO BIP SANS SAN KO BIP SANS
Casson SAD-RO-ED TravitationMarkag. and SAD-RO-EDA1	SAF-80-81 P December 2018 P Defense Safe Policy Filmer SAF-80-81 A 12	Cotons SAR-40-81P Weterschartgevorkung SAR-80-81 A1	SAF40-E1Wajm SAF40-E1Wajm SAF40-E41	GAT-RD-RF Patroneed SAT-RD-RF Patroneed SAT-RD-RF RS	Colors Datasets Julii Canatic Appa	Gynew Sharwerk BO Jodd Censor Appo	Options Supervisi URI Ladius Star Jolf Carrent Ages	touche point. Optime Touchepoint Jutti Tananti Appe	Contract Con
Content for denter Julie Generic Apps									



	D = A C @ Patrier Access ×	
		💁 • 🔝 - 🖂 📾 • Page • Safety • Tools • 🚇 • 🐰
SmartWeb		Paurruph TET- MINAC *
Ouch Touchpoint Joint Joint Commic Apps Open Rdd To Favorities Rdd To Favorities		
C Here / mount web-web ( too hold hidd)	D - B C B Parent Access	- 0
The Margan Transmission and Marganet California (	D + B C Promision	an tr an training and the state of the sta
Comparison and a second control and a second s	P + 4 € @Prime loss: +	د الله الله الله الله الله الله الله الل
SmartWeb	2 * 6 € € forestons 1	Le CO

c. The Categories-View will show your applications consolidated in folders

Concentration and and and a sector of the sector of t	D = B C @ Patrix Access	
		💁 * 街 + 13 👼 + Page * Salaty * Tools * 🐠 🔊 🎉
SmartWeb	E Exteriors 88 4495	Nacarategia, TEET - SECOND *
All Categories		Q Search M Appa
2 COAL Appr 33 Appr 2 COAL Appr 2 COAL Appr 3 COAL Appr 2 COAL Appr 2 COAL Appr 3 COAL AP	1 ED 20 SP 40 H 41	
		1=101
to 🖉 Inpermeteo administrativa	D + â C ∯Fenchom s	= 10
Contraction of the second seco	P * # 2 @ Presc hose *	- 0 - 0 10 10 10 10 10 10 10 10 10 10 10 10 10
Organisational Cardination      SmartWeb      Cargonic - 2 Chts	P + 8 2         ● Inversions         1           □         □         0           □         □         0           Inversion         x00/k1         x01	ा का रहे। जि. म. (2) - 22 - 28 - 2949 - 1049 - 7 - 26 - 26 - 26 जिल्लावुरी (11) - 1049 - 26 - 26 - 26 जिल्लावुरी (11) - 1049 - 26 - 26 जिल्लावुरी (11) - 1049 - 26 - 26
The manual strength in the strength SmartWeb Compose 3 cms	(2 + 2 ± 2) @ Trans Acco. = [] ] [] [] [] [] [] [] [] [] [] [] [] []	i = 6 = 1 International Parallel 10 + 2000 + 2000 + 2000 + 2000 + 2000 Parallel 100 + 1000 €
Mar	_β + 8.2 @ Treat Acco. ε Π Π Β Β 160001 507101 ΑΡ1	ting + cot an + Pay+ Selet + Table + B Founda (100 - 1000€ Cotomol (100 - 1000€) Cotomol (1000€

d. If "Virtual Desktop" has been requested for you , it can be run via the DESKTOPS-Icon

a stir ( succession	Apple and Constantional			0.80	Partner Access		9 · 0	- 🖂 👼 + Page+ Sale	<ul> <li>Tools * ● * 30 (</li> </ul>
SmartWel	0							fautres	n, fest-second - •
8 Categories								Q, ter	
All Apps									
Convert Pressound Change 1987 1987 Genute App	Checkbon Julier Tamatta Appa	Child P RU-Torring Child	CTMS P Toponey CTMS	Canon Eddr CRD System Juddr Canacti, Appa	Grand S Contrare Grand S Contrare "CODP Tomoric Again	DW Sustements Dispersion at Linauron Date Pri LMEA LINEURARE	Contemport E 33 F lotenet Explore 32 EVEA	Contern Addresser Judit Generic Appo	Caston Pull Control Antive Activities July Control Apple
Orte Ortflade entai Lath Gennis Appo	Contra line Contra line Contra Appre	Dytem S4P-80-87-948z COSC-OntAl-res UP-40-81-41	SAF-30-82 P Analysis for Monwark (FF) SAF-30-82 A	Cyline S47-82-827 Analysis for Marson R13 S47-82-824	Curtons S47-80-81 P Business Vere Manager S47-80-81 41	Cystem S47-80-87 Cystelligento-2013 S47-90-8741	Gathan SAT-80-827 Oysenfloganitins.sel SAT-90-8243	Cyrone SAT-RO-RET Destroyed A SAT-RO-REAL	SAND EP Destronation
AP SO EP Ovege NASO EAS	Canona SAP-40-81 Floor SAP-90-81-41	Oytans 549-50-819 (220 549-50-8141	SAF-BO-BP SAF-BO-BP MonumerConau SAF-BO-B-42	Cyson Ser-Ko-Bi Fotto- Destavasidese Ser-Bi E 41	Curtana SAD-BD-B P Received SAD-BD-B A3	Content SAF-ED-ETS Curry/Admitstersiner SAF-ED-ET-L	Cathon SAT-80-82 P Report Uption/ Waterd SAT-90-92-83	Cyrans SAF-80-817 Agent ConversionTool SAF-80-81-41	MARC EP 104-0 MARC EP 104-0 MARCHIAI
Distanti AP-10-81 InteletionManag.com AP-80-813	Salt SO 81 P Salt SO 81 P Salt SO 81 P Salt SO 81 P L	Option SAF-80-82 P Web-selfprovell.eet SAF-80-82-41	SAP-BO IE F Weigets	Concest SAP-RO-ELP Mercord SAP-RO-ELAL	Conserved Jult? Generatic Appen	Cateron Sharewate SVT JuliP Lanaris Appo	Control Options Statework UPL Redirector Judit Generic Apple	touch point. Cytons fourtgeent Just timere App	Contract of the second
Ogsisse sachgart fiz domtar IstP Gaussi Appi									
							_		- 0
C sept	ochand Drivits West			P-#0	B Patter Access		9.40	🗆 😸 + Papa+ Salat	* Tools * 🖝 🗷
				E (					

Cators



## 2. Download-PopUp when running an application in Chrome

- a. In Chrome, when running an app, you might be asked to download an .ica-File
- b. Select a temporary folder on your computer
- c. Select "Save"
- d. On the bottom left, the downloaded file will be displayed
- e. Click on the v-Symbol and select "Always open files of this type"
- f. Click again on the v-Symbol and this time select "Open"
- g. In the future .ica-Files will be downloaded and opened automatically. You will not be asked anymore



## 3. Copy files in TouchPoint from/to local machine

- a. Navigate to your TouchPoint file/folder
- b. Select at least one file/folder
- c. Click on Library
- d. By clicking twice on "Open with Explorer" run two Windows-Explorer-Instances
- e. Place the two Windows-Explorer-Instances side by side
- f. In one window navigate to the path on your local computer
- g. Now you can drag and drop files/folders from one Windows-Explorer-Instance to the other (from your local computer to TouchPoint and vice versa)





#### 4. Stop prompting for your certificate when running an application in Internet Explorer

When running an app (e.g. Touchpoint) in Internet Explorer, you might be asked to confirm your certificate every time. To avoid this, proceed as follows:

- a. In Internet Explorer click the Tools-Gear-Icon
- b. Select Internet Option
- c. Select the Security-Tab
- d. Click on "Custom level..."
- e. Scroll down to the "Miscellaneous section"
- f. Scroll further down until you find
   "Don't prompt for client certificate selection when only one certificate exists"
- g. Select "Enable"
- h. Click on OK

	for the forther the second for			100 F F F
×Q	The second secon	x stand Option:	Y X      Constrain Regard Advance     Constrain Regard Advance	First Size (1070)

## 5. Log off

a. After you have finished your work, please log off using the dropdown on the top right

